



for windows



for doors



store and transport
in a frost free area



store in a cool place



Spezialreiniger

Product description Watery cleaning lotion to degrease and clean closed surfaces, like opaque and translucent paint systems, PVC, metals etc.

- good and mild cleaning properties

Colour Colorless

Packaging 250 ml

Processing Pour the special cleaner onto a lint free cloth and wipe the dirty surface lightly. In difficult cases, repeat action until clean.

Thinning If necessary with max. 10% water.

Application temperature +10 - 30 °C for substrate, air and material at approx. 60 % R.H.

Storage The minimum storage stability of sealed containers is 2 years.

Storage temperature: +5 - +30 °C.

After ending of the storage time the product still can be usable, but some attributes may vary from new product.

Therefore such over-stored product has to be applied with special attention.

Opened cans must be sealed correctly! Store in a cool but frost-protected area.

Disposal The special cleaner is ecological biodegradable and can be disposed of in the drain in small amounts.

Hazard identification In accordance with EC guide lines - Material safety data sheet, point 15.

Warning Before use, read the identification and product information. Even when working with low emission products one should take care of the customary protection measures.

Due to the fat soluble effect, it is recommended to wear rubber gloves when in constant use. If it comes in contact with eyes, rinse with plenty of water, i.e. contact a specialist.

VOC guideline Out of scope.

General instructions When coating sensitive substrates, it is recommended to make trails on inaccessible areas!

All details on our products contained in this publication do not represent details of the quality of the goods. The quality, suitability, qualification and function intended use of our goods shall be determined exclusively in accordance with the product descriptions based on the respective sales agreements. In each case, deviations typical of the sector shall be admissible, unless agreed in writing otherwise. All details correspond to today's state of technology. We make no claim as to the completeness of the stated coating installations; they are stated merely as possible examples. Due to the large number of substrates and object conditions, the buyer/user shall not be released from his/her obligation to check our raw materials in a workmanlike manner for their suitability for the intended purpose on his/her own responsibility subject to the respective property conditions and process these in accordance with the respective state of technology. In other respects, our standard terms and conditions of sale apply. Upon the appearance of a new edition, this publication shall lose its validity.

Akzo Nobel Industrial Coatings Ltd Unit 4a, Mercer Way, Shadsworth Blackburn, Lancs, BB12QZ
Bus Pk
Akzo Nobel Industrial Coatings Ltd Unit 4a, Mercer Way, Shadsworth Blackburn, Lancs, BB12QZ
Bus Pk
Akzo Nobel Wood Coatings GmbH Düsseldorf StraÙe 96-100 D-40721 Hilden

UNITED KINGDOM

Rep of IRELAND

GERMANY

Tel. +44 1254 687950

Tel. +35 (0) 21 4220222

Tel.: +49-2103-77-800

Fax. +44 1254 687960

Fax. +35 (0) 21 4220205

Fax: +49-2103-77-577